



Half face mask BariMask HF

Maximum safety thanks to optimum shape and sealing line



BartelsRieger half face mask BariMask HF

The new generation of half masks – effective respiratory protection for many different use cases

Half masks cover the nose, mouth and chin area. They can be used in conjunction with respiratory protection filters (filtering respiratory protection) or independently with compressed air systems (isolated respiratory protection) and protect when working with a wide range of respiratory toxins, such as solvent vapors, chemicals and dusts.

Compared to the pendulum breathing of FFP masks, where moisture is removed through the filter medium, full and half face masks use valve-controlled breathing to ensure moisture is safely removed via exhalation valves.

During the development of the BariMask HF, we incorporated the experience of our customers and were thus able to create significant added value for user.

The new half face mask from BartelsRieger impresses with highly comfortable fit and offers the user a pleasant wearing comfort.



BariMask HF with round thread connection Rd40 – this thread enables a much simpler user application test ("ball of the thumb test"). The innovative "Quick-Lock" connection of the neck strap makes it easy to put on the half face mask and therefore quicker to use.



The BariMask HF is also available in a silicone version

In this version, the mask body and straps are made of skin-friendly silicone – for maximum comfort, optimal sealing, and long durability – particularly soft, flexible, odorless, and hypoallergenic – ideal for sensitive skin. The material is easy to clean, hygienic, and extremely resistant to aging and heat.

Product description BariMask HF

- » Corresponds to standard EN 140:1998
- » With round thread connection Rd 40 according to DIN EN 148-1
- » One inhalation valve and two side exhalation valves
- » Magnetic buckle on the neck strap
- » Rolling straps with adjustable strap sliders
- » Safe identification and documentation due to integrated RFID transponder



✔ **Optimal sealing line** Ensures a high fit factor

✔ **One size fits all** Innovative design with ideal fit – suitable for almost every face

✔ **100% flexible** Can be used with particle, gas and combination filters with Rd 40 round thread connection (max. 300 g)

✔ **100% ecological**
Durable materials ensure sustainability

✔ **100% economical**
Reusable and easy to maintain

Safety with every breath.

BartelsRieger Atemschutztechnik GmbH

Richard-Byrd-Straße 23 | 50829 Cologne
Phone +49 (0)221 59777-0 | mail@bartels-rieger.de
www.bartels-rieger.de | www.barikos.de



Print product with financial

climate contribution

ClimatePartner.com/11774-2605-1032