






BartelsRieger BariAir

Powered air-purifying respirator for more safety and flexibility





Respiratory filters with standard Rd40 thread connection

(EN 143:2007)

BariAir powered air-purifying respirator is certified with a range of BartelsRieger respiratory filters with standard Rd40 thread connection according to EN 148-1 and offers reliable protection against numerous hazardous substances.

- ♥ 86 ABEKHgSt (ABEK2 Hg P3 R D)
- ▼ 81 Ast (A2 P3 R D)
- ▼ 81 ABEKHgSt (ABE2 K1 Hg P3 R)
- ▼ 30 P3 und 30 P3+



81 ABEKHGSI ABE2K1HgP3

Full flexibility for every Situation

Matching visor, hood and respiratory filters

BariAir Visor (EN12941:2009)

The BariAir Visor is extremely robust. making it particularly suitable for use as a facepiece in construction and cleaning.

- V Robust and chemical resistant PFTG faceshield
- Comfortable cotton face seal
- V Easily adjustable head straps or a tight fit
- ▼ Removable protective cover
- ▼ Protection category TH2P



BariAir 1000 CHEM3 (EN12941:2009)

The high-quality protective hood provides protection during numerous activities and is particularly suitable for hazardous material disposal and industrial cleaning.

- Protection against highly concentrated organic and inorganic chemicals
- V Easily adjustable headband
- V Chemical resistant PETG faceshield
- Protection category TH3P



No G26 necessary No breathing resistance and weight <3 kg.

No expensive special filter - **BariAir** works with 100% cost benefit BartelsRieger standard Rd40 thread filters according to EN 148-1.

100% ready for use

Starter set including high-quality breathing connection, powerful rechargeable battery, charger and carrying strap. Combine filters as needed.

100% fail-safe Safe application due to robust technology and intuitive operability.

100% decontaminable Splash-proof and absolutely r to high-quality workmanship.

Splash-proof and absolutely reliable due



Safety with every breath.

BartelsRieger Atemschutztechnik GmbH

Richard-Byrd-Straße 23 | 50829 Cologne Phone +49 (0)221 59777-0 | mail@bartels-rieger.de www.bartels-rieger.de | www.barikos.de

