





# BartelsRieger AirValve

The demand valve for industrial respiratory protection



### BartelsRieger AirValve Breathing protection for the toughest conditions

The positive pressure and negative pressure variants of the AirValve are particularly dirt-resistant and function reliably under the toughest conditions – with high concentrations of pollutants, with heavy contamination and restricted escape options – wherever absolutely reliable respiratory protection is required.

## **Application areas**

In the chemical and petrochemical industries, in the automotive, pharmaceutical and food industry and also in the agriculture and in power plants and nuclear power plant decommissioning, in mining and for fire departments, rescue services, civil protection control, and many more.

### AirValve N und P for negative und positive pressure

Minimized technology for more safety practice

Available as normal pressure version **AirValve N** with standard thread connection Rd 40 with EN 148-1 or as positive pressure version **AirValve P** with M45x3 connection with EN 148-3.

#### Available with warning signal

This signal warns the wearer if there is a drop in supply pressure.

#### Tidy technology

By eliminating fragile parts the technology was reduced to robust core components.

# Innovative shut-off function for the positive pressure version

The positive pressure version provides a shut-off function to prevent uncontrolled loss of air, when the apparatus is not in use.

The cut-off feature of the **AirValve P** is operated using a large-scale membrane. Additional seals are not necessary.

## **Quality promise**

due to 100% stainless steel and fiberglass reinforced polyamide

**G26-1** Weight <3 kg and breathing resistance <5 mbar – G26 Group 1 (German Medicine Regulation "ArbMedVV").

70% less spare parts sto

95% less handling for cleaning and maintenance

100%

fail-safe through intuitive usability



less components



## With Safety.

#### BartelsRieger Atemschutztechnik GmbH

Richard-Byrd-Straße 23 | 50829 Cologne Phone +49 (0)221 59777-0 | mail@bartels-rieger.de www.bartels-rieger.de | www.barikos.de

